

Management of Bronchiolitis in Infants

Version: 4

This is a CONTROLLED document for internal use only, valid only if accessed from the Policies and Procedures site.

Co-issued by Paediatric Medicine and the Division of Paediatric Emergency Medicine.

Introduction

Bronchiolitis is an acute inflammatory disease of the lower respiratory tract, resulting from obstruction of small airways. It is initiated by infection of the upper respiratory tract by any one of a number of seasonal viruses, the most common of which is respiratory syncytial virus (RSV).

Previous confusion around the clinical management of infants with bronchiolitis has improved with the creation and integration of clinical practice guidelines. Typical bronchiolitis in infants is a self-limited disease, usually due to an acute viral infection whose clinical course is not generally altered by aggressive evaluations/interventions, use of antibiotics, or other therapies. Most infants who contract bronchiolitis recover without sequelae; however, rates of admissions have increased from 1% to 3% of all infants.

Several studies on the use of clinical guidelines for the management of infant bronchiolitis have shown a reduction in unnecessary resource utilization with a streamlining of medical care for these infants.

Objectives

In the target population, the objectives of this guideline are to:

- decrease the use of unnecessary diagnostic studies;
- decrease the use of medications;
- provide guidance on the use of appropriate respiratory therapy;
- improve the rate of appropriate admission;
- improve the use of appropriate monitoring activities; and
- decrease length of stay.

Target Users


Include, but are not limited to:

- Emergency Medicine physicians, nurses, nurse practitioners, and trainees
- Inpatient physicians, nurses, nurse practitioners, and trainees
- Respiratory Therapists
- Pharmacists
- Patients and families

[Clinical recommendations summary table](#)

ED Management Recommendations

Bronchiolitis ED Management Pathway




[Printable version](#)

Inpatient Management Recommendations

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

Bronchiolitis In-patient Management Pathway



[Printable version](#)

Implementation and Evaluation Plan

Implementation Plan

- Education and awareness building by Paediatric Medicine and ED Divisions' practice champions during resident/fellow orientation, resident educational rounds, and nursing orientation/staff meetings.
- ED and Inpatient Medical Director to communicate any updates in practice to ED and Paediatric Medicine Divisions respectively.

Evaluation Plan

- Ongoing monitoring of bronchiolitis pathway adherence.

Guideline Group and Reviewers

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

Guideline Group Membership:

1. Julie Johnstone, MD, Staff Paediatrician, Paediatric Medicine
2. Jeremy Friedman, Interim Paediatrician in Chief, Paediatric Medicine
3. Shawna Silver, MD, Staff Paediatrician, Paediatric Medicine
4. Suzanne Schuh, MD, Staff Paediatrician, Emergency Medicine
5. Olivia Ostrow, MD, Staff Paediatrician, Emergency Medicine
6. Marie-Pier Lirette, MD, Paediatric Emergency Fellow, Emergency Medicine
7. Gail Annich, MD, Staff Intensivist, Paediatric Intensive Care Unit
8. Diane Soares, RRT, Clinical Educator Specialist, Respiratory Therapy
9. Jennifer Thiele, RRT Pediatrics
10. Noel Wong, Team Leader Quality Management
11. Andrea Boysen, RN, Team Leader Quality Management, Emergency Medicine
12. Fatma A. Rajwani, PT, Quality Management
13. Maria Jose Conejero Muller, MD, Paediatric Fellow, Paediatric Medicine
14. Anjelica Guytingco, RN, Emergency Medicine
15. Larissa Shapka, MD, Senior Paediatric Resident, Paediatric Medicine
16. Jason Macartney, RRT, Clinical Manager Respiratory Therapy
17. Lynn Mack, Clinical Manager General Paediatrics

Internal reviewers:

1. Eyal Cohen, Staff Paediatrician, Paediatric Medicine
2. Sanjay Mahant, Staff Paediatrician, Paediatric Medicine
3. Carolyn Beck, Staff Paediatrician, Paediatric Medicine
4. Michael Weinstein, Staff Paediatrician, Paediatric Medicine

References

1. Alexander A, McGee A, Wazeerah T. Oral nutrition in children with bronchiolitis on high-flow nasal cannula is well tolerated. *Hospital Pediatrics*. 2017; 7 (5), 249-255
2. Canadian Paediatric Society. Bronchiolitis: Recommendations for diagnosis, monitoring and management of children one to 24 months of age. *Paediatrics and Child Health* 2014; 19(9):45-91. (Reaffirmed 2017)
3. Hartling L, Fernandes RM, Bialy L, et al. Steroids and bronchodilators for acute bronchiolitis in the first two years of life: systematic review and meta-analysis. *BMJ*. 2011; 342:d1714.
4. Kepreotes E, Whitehead B, Attia J, Oldmeadow C, Collison A, et al. High-flow warm humidified oxygen versus standard low-flow nasal cannula oxygen for moderate bronchiolitis (HFWHO RCT): an open, phase 4, randomised controlled trial. *The Lancet*; 2017, 389.10072, 930-939.
5. O'Brien S, et al. Australasian bronchiolitis guideline. *Journal of Paediatrics and Child Health*; 2019, 55, 42-53
6. Ralston S, Allan S, Lieberthal H, et al. Clinical Practice Guideline: The diagnosis, management, and prevention of bronchiolitis. *Pediatrics*. 2014; 134(5)
7. Schuh S, Lalani A, Allen U, et al. Evaluation of the Utility of Radiography in Acute Bronchiolitis. *J Pediatr*; 2007;150:429-33
8. Fujiogi, M., Goto, T., Yasunaga, H., Fujishiro, J., Mansbach, J. M., Camargo, C. A., Jr, & Hasegawa, K. (2019). Trends in Bronchiolitis Hospitalizations in the United States: 2000-2016. *Pediatrics*. 2019;144(6), e20192614.
9. Kalburgi S, Halley T. High-Flow Nasal Cannula Use Outside of the ICU Setting. *Pediatrics*. 2020;146(5):e20194083. doi:10.1542/peds.2019-4083

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

10. Ralston SL, Lieberthal AS, Meissner HC, et al. Clinical practice guideline: the diagnosis, management, and prevention of bronchiolitis [published correction appears in Pediatrics. 2015 Oct;136(4):782]. Pediatrics. 2014;134(5):e1474-e1502. doi:10.1542/peds. 2014-274

Attachments:

[Clinical Reccomendations Aug 2021.pdf](#)

[Discharge Checklist Bronchiolitis June 29.docx](#)

[ED pathway Aug 2021.pdf](#)

[inpatient pathway Aug 2021.pdf](#)